



SHOOTING STAR NATIVE SEEDS

20740 County Road 33 • P.O. Box 648 • Spring Grove, MN 55974
 (507) 498-3944 • FAX (507) 498-3953
 www.shootingstarnativeseed.com

NATIVE PRAIRIE GRASS AND WILDFLOWER SEEDS

Description: Mn/DOT Mix 310NWT (Native Wet Tall)

Seeding Rate: 82 Lbs/Acre (413.7 Seeds/Square Foot)

Notes: Native mix for wetter areas. Infiltration ponds, dry ponds, and wet ditches. Tall height. Oats to be substituted for Winter Wheat in spring plantings.

| Common Name | Scientific Name | % of Mix | Seeds/Ft | Total Lbs |
|----------------------------------|--------------------------|----------|----------|---------------|
| Grasses | | | | |
| Big Bluestem (YT) | Andropogon gerardii | 25.00% | 9.2 | 2.50 PLS Lbs |
| Blue Joint Grass | Calamagrostis canadensis | 2.50% | 25.7 | 0.25 PLS Lbs |
| Virginia Wild Rye | Elymus virginicus | 20.00% | 3.1 | 2.00 PLS Lbs |
| Switchgrass (YT) | Panicum virgatum | 5.00% | 2.6 | 0.50 PLS Lbs |
| Green Bulrush | Scirpus atrovirens | 2.50% | 42.2 | 0.25 PLS Lbs |
| Woolgrass | Scirpus cyperinus | 2.50% | 156.1 | 0.25 PLS Lbs |
| Indiangrass (YT) | Sorghastrum nutans | 25.00% | 11.0 | 2.50 PLS Lbs |
| Giant Bur Reed | Sparganium eurycarpum | 2.50% | 0.0 | 0.25 PLS Lbs |
| Prairie Cord Grass (Red River) | Spartina pectinata | 15.00% | 3.6 | 1.50 PLS Lbs |
| Wet Forbs | | | | |
| Anise Hyssop | Agastache foeniculum | 2.00% | 1.3 | 0.04 PLS Lbs |
| Water Plantain | Alisma subcordatum | 4.00% | 1.8 | 0.08 PLS Lbs |
| Wild Garlic | Allium canadense | 1.00% | 0.0 | 0.02 PLS Lbs |
| Canada Anemone (YT) | Anemone canadensis | 1.00% | 0.1 | 0.02 PLS Lbs |
| Swamp Milkweed | Asclepias incarnata | 2.00% | 0.1 | 0.04 PLS Lbs |
| New England Aster (YT) | Aster novae-angliae | 3.00% | 1.5 | 0.06 PLS Lbs |
| Swamp Aster | Aster puniceus | 0.00% | 0.0 | 0.00 PLS Lbs |
| New England Aster (YT) (sub) | Aster novae-angliae | 3.00% | 1.5 | 0.06 PLS Lbs |
| Panicled Aster | Aster simplex | 3.00% | 3.5 | 0.06 PLS Lbs |
| Flat-topped Aster | Aster umbellatus | 1.00% | 0.5 | 0.02 PLS Lbs |
| White Prairie Clover (YT) | Dalea candidum | 1.00% | 0.1 | 0.02 PLS Lbs |
| Purple Prairie Clover (YT) | Dalea purpurea | 2.00% | 0.2 | 0.04 PLS Lbs |
| Showy Tick Trefoil | Desmodium canadense | 0.00% | 0.0 | 0.00 PLS Lbs |
| Purple Prairie Clover (YT) (sub) | Dalea purpurea | 1.00% | 0.1 | 0.02 PLS Lbs |
| Joe Pye Weed | Eupatorium maculatum | 17.00% | 11.9 | 0.34 PLS Lbs |
| Boneset | Eupatorium perfoliatum | 10.00% | 11.8 | 0.20 PLS Lbs |
| Sneezeweed | Helenium autumnale | 1.00% | 1.0 | 0.02 PLS Lbs |
| Giant Sunflower | Helianthus giganteus | 2.00% | 0.1 | 0.04 PLS Lbs |
| Ox-eye Sunflower (YT) | Heliopsis helianthoides | 1.00% | 0.0 | 0.02 PLS Lbs |
| Great St. John's Wort | Hypericum pyramidatum | 2.00% | 2.8 | 0.04 PLS Lbs |
| Northern Blue Flag Iris | Iris versicolor | 1.00% | 0.0 | 0.02 PLS Lbs |
| Prairie Blazingstar (YT) | Liatris pycnostachya | 8.00% | 0.6 | 0.16 PLS Lbs |
| Wild Bergamot (YT) | Monarda fistulosa | 1.00% | 0.5 | 0.02 PLS Lbs |
| Mountain Mint | Pycnanthemum virginianum | 0.00% | 0.0 | 0.00 PLS Lbs |
| Obedient Plant (sub) | Physostegia virginiana | 1.00% | 0.1 | 0.02 PLS Lbs |
| Black-eyed Susan | Rudbeckia hirta | 6.00% | 4.1 | 0.12 PLS Lbs |
| Grass-leaved Goldenrod | Solidago grammifolia | 2.00% | 5.1 | 0.04 PLS Lbs |
| Stiff Goldenrod (YT) | Solidago rigida | 2.00% | 0.6 | 0.04 PLS Lbs |
| Purple Meadow Rue (YT) | Thalictrum dasycarpum | 2.00% | 0.2 | 0.04 PLS Lbs |
| Blue Vervain | Verbena hastata | 14.00% | 9.6 | 0.28 PLS Lbs |
| Common Ironweed | Vernonia fasciculata | 1.00% | 0.2 | 0.02 PLS Lbs |
| Culver's Root (YT) | Veronicastrum virginicum | 3.00% | 17.6 | 0.06 PLS Lbs |
| Golden Alexanders (YT) | Zizia aurea | 2.00% | 0.2 | 0.04 PLS Lbs |
| Cover Crop | | | | |
| Slender Wheatgrass (BT) | Agropyron trachycaulum | 4.00% | 7.1 | 2.80 PLS Lbs |
| Annual Rye (BT) | Lolium italicum | 16.00% | 61.7 | 11.20 PLS Lbs |
| Winter Wheat (BT) | Triticum aestivum | 80.00% | 14.4 | 56.00 PLS Lbs |